
# Continuum II

# **Accessory Batting Rail Assembly**




Copyright September 23, 2021 Grace Company (Reproduction Prohibited) Version 1.1



## **Contents**


Batting Rail Configurations	2
Included Parts & Tools	
Common Questions	
8 Foot Frame	
10 Foot Frame	
12 Foot Frame	
4 Foot	16
5 Foot	

# **Batting Rail Configurations**



## **Included Parts & Tools**

Please make sure all pieces are included in your kit.



# **Common Questions**


#### Why does my Accessory Batting Rail come with so many pieces?

To accommodate the three available sizes of Continuum 2 frame (8 foot, 10 foot, and 12 foot), the Continuum 2 Batting Rail kit you've purchased may include more parts than your frame requires. Do not discard the extra parts; you may need them if you choose to upgrade your frame in the future.


#### Can I use this accessory with the Continuum 2 crib setup?

Yes! The Accessory Batting Rail is compatible with both the crib and full setups for the 8 foot and 10 foot Continuum 2 frame. If you have the crib setup for the 10 foot frame, you will need to use one of the remaining 5 foot rail pieces from your base frame to build the batting rail. The crib setup for the 8 foot frame can use one of the 4 foot rail segments in this kit.

# 8 Foot Frame




## **Parts & Tools Needed:**




#### **Instructions**

To assemble and install the batting rail on the 8 foot frame, take the following steps:


1 Slide a rail coupler into one of the non-ratcheting rail sections. Line up the screws on the coupler with the holes on the rail.



Use a 4 mm Allen wrench to loosen (turn counter-clockwise) the screws inside the rail until they press firmly against the rail.




3 Slide the remaining **non-ratcheting rail section** onto the other side of the rail coupler.





# Batting Rail - 8 Foot Frame

4 Align the holes with the coupler screws and loosen the screws with the 4 mm Allen wrench until they press firmly against the inside of the rail.




Install the **rail holder assemblies** onto the front of the frame legs using two **M8 x 16 mm SBHCS screws** each and a 5 mm Allen wrench.






# 10 Foot Frame



#### **Parts & Tools Needed:**




## Batting Rail - 10 Foot Frame


#### **Instructions**

To assemble and install the batting rail on the 10 foot frame, take the following steps:


1 Slide a rail coupler into one of the non-ratcheting rail sections. Line up the screws on the coupler with the holes on the rail.




2 Use a 4 mm Allen wrench to loosen (turn counter-clockwise) the screws inside the rail until they press firmly against the rail.




3 Slide one of the **2 ft rail sections** onto the other side of the rail coupler.




4 Align the holes with the coupler screws and loosen the screws with the 4 mm Allen wrench until they press firmly against the inside of the rail.



5 Now insert a second coupler into the 2 ft rail section.




6 Once again, loosen the screws with the 4 mm Allen wrench until the rail and coupler are snug.





# Batting Rail - 10 Foot Frame

Install the remaining **non-ratcheting rail section** onto the other side of the rail coupler. Use the 4 mm Allen wrench to loosen the coupler screws.




8 Install the **rail holder assemblies** onto the front of the frame legs using two **M8 x 16 mm SBHCS screws** each and a 5 mm Allen wrench.






# 12 Foot Frame



#### **Parts & Tools Needed:**




## Batting Rail - 12 Foot Frame


#### **Instructions**

To assemble and install the batting rail on the 12 foot frame, take the following steps:


1 Slide a rail coupler into one of the non-ratcheting rail sections. Line up the screws on the coupler with the holes on the rail.




2 Use the 4 mm Allen wrench to loosen (turn counter-clockwise) the screws inside the rail until they press firmly against the rail.




3 Slide one of the **2 ft rail sections** onto the other side of the rail coupler.




4 Align the holes with the coupler screws and loosen the screws with the 4 mm Allen wrench until they press firmly against the inside of the rail.



5 Now insert a second coupler into the 2 ft rail section.




6 Once again, loosen the screws with the 4 mm Allen wrench until the rail and coupler are snug.




## Batting Rail - 12 Foot Frame


Install a second 2 ft rail section onto the rail coupler. Loosen the coupler screws with the 4 mm Allen wrench to fix the rail section in place.




8 Slide the third rail coupler into the free end of the 2 ft rail section. Use the 4 mm Allen wrench to loosen the screws until the rail coupler is held firmly in place.




9 Install the remaining **non-ratcheting rail section** onto the other side of the rail coupler. Use the 4 mm Allen wrench to loosen the coupler screws.




10 Install the **rail holder assemblies** onto the front of the frame legs using two **M8 x 16 mm SBHCS screws** each and a 5 mm Allen wrench.






# 4 Foot



## **Parts & Tools Needed:**




Non-ratcheting rail Section 4 ft (x2)


#### **Instructions**

To assemble and install the batting rail on the 4 foot crib setup, take the following steps:


1 Use the 6 mm Allen wrench to loosen the **M10** x **80** mm SBHCS screw on the **non-ratcheting** rail section. Remove the **non-ratcheting** rail end from the rail segment.




2 Screw the **non-ratcheting rail end** into the free end of the remaining **non-ratcheting rail section.** 




3 Install the **rail holder assemblies** onto the front of the frame legs using two **M8 x 16 mm SBHCS screws** each and a 5 mm Allen wrench.






# 5 Foot



#### **Parts & Tools Needed:**




## Batting Rail - 5 Foot Frame


#### **Instructions**

To assemble and install the batting rail on the 5 foot crib setup, take the following steps:


1 On both non-ratcheting rail sections: Use the 6 mm Allen wrench that came with your base frame to loosen the M10 x 80 mm SBHCS screw. Remove the non-ratcheting rail end from the rail segment.




3 Use the 6 mm Allen wrench to screw the **non-ratcheting rail ends** to the free ends of one of the **5 foot rail segments** from your base frame.



4 Install the **rail holder assemblies** onto the front of the frame legs using two **M8 x 16 mm SBHCS screws** each and a 5 mm Allen wrench.





The Grace Company 2225 South 3200 West Salt Lake City, UT 84119 Phone: 1-800-264-0644

Fax: 801-908-8888 www.graceframe.com

